

It's Time To PWR Up



Charged Up and Ready To Go

A long-time leader in advanced fuel dispensing equipment, Dover Fueling Solutions® brings quality, innovation, and reliability to EV charging with the Wayne PWR™ DC fast chargers.

Dual Cable Now Available. Serve a broader range of customers with our dual cable charger, supporting both CCS1 and NACS connectors at the charging point.

Available power configurations:
640kW, 400kW, 240kW, 200kW & 160kW

Key Benefits

- **Engineered for all-weather durability** with a rugged design featuring robust styling, emphasizing strength, capability and a familiar functional aesthetic.
- **Generate new revenue streams and unlock driver insights.** Monitor the status of your chargers in real time with our cloud-based charge station management system.
- **Unrivalled manufacturing quality** with the 135+ year Wayne legacy of excellence and innovation, and designed and manufactured in the USA, Wayne PWR™ features a sleek, compact, NEVI-compliant design that is highly reliable and easy to maintain.
- **Comprehensive service,** remote diagnostics, proactive monitoring, and heartbeat checks with a nationwide service network.
- **Engaging and thoughtfully designed,** Wayne PWR™ features an intuitive 12-inch digital touchscreen that displays power level, remaining time-to-full-charge, and energy consumption, along with a sleek, compact aesthetic, visible green and red charging post lights for at-a-distance status indication, and customizable branding on both the charger exterior and digital screen.
- **Easy, secure payments with forecourt control.** EMV compliant transactions are managed through a fully integrated POS with remote communications to the cloud. Retail customers receive digital receipts.



Data Sheet / Wayne PWR™ DC fast chargers

Introducing Wayne PWR, from the company that has brought you relentless reliability, innovative technology and unparalleled consumer experience for over 135 years.

<i>Product Name & Part Number</i>					
Product Name	Wayne PWR	Wayne PWR 400	Wayne PWR 240	Wayne PWR 200	Wayne PWR 160
Part Number	DCC640	DCC400	DCC240	DCC200	DCC160
<i>Power and Operability</i>					
Max Power per Connector	400kW	320kW	200kW	160kW	120kW
Max Power per Power Cabinet	640kW	400kW	240kW	200kW	160kW
Power Cabinet to Charging Post Ratio	3 or 4	1 or 2	1 or 2	1 or 2	1 or 2
<i>Charging Post Features</i>					
Payment Terminal	EMV-certified and PCI-compliant				
RFID	Optional				
Connector Type	CCS1 DC, NACS; available in single or dual cable configurations				
Cable Management	Counterweight Retractor				
Screen Size	12" Touchscreen				
Status Lighting	Green (Available), Blue (Charging), Red (Off-line)				
Digital Receipts	✓				
Mobile Pay	✓				
Customizable Paint/Graphics	✓				

**DC Amps up to 500A only during boost mode, for a limited charging duration.*

